

Contents

- Ahrén B, Böttcher G, Kowalyk S, Dunning BE, Sundler F, Taborsky GJ jr: Galanin is co-localized with noradrenaline and neuropeptide Y in dog pancreas and celiac ganglion 49-58
- Akster HA → Koumans JTM 173-181
- Amadeo A → Vitellaro-Zuccarello L 467-476
- Ballak M → Cantin M 313-322
- Baluk P, Gabella G: Some parasympathetic neurons in the guinea-pig heart express aspects of the catecholaminergic phenotype in vivo 275-285
- Beiras A → Morel G 517-524
- Benevise S → Carr JA 589-593
- Billingsley SA, Wooding FBP: An immunogold, cryoultrastructural study of sites of synthesis and storage of chorionic gonadotropin and placental lactogen in human syncytiotrophoblast 375-382
- Bosch J van der → Spanel-Borowski K 35-47
- Böttcher G → Ahrén B 49-58
- Buchanan KD → Skuce PJ 573-581
- Burnett H → Smith P 565-571
- Burnstock G → James S 301-312
- Caballero Garcia T → Morel G 517-524
- Cantin M, Thibault G, Haile-Meskel H, Ballak M, Garcia R, Jasmin G, Genest J: Immuno-electron microscopy of atrial natriuretic factor secretory pathways in atria and ventricles of control and cardiomyopathic hamsters with heart failure 313-322
- Carbajo-Pérez E, Watanabe YG: Cellular proliferation in the anterior pituitary of the rat during the postnatal period 333-338
- Carr JA, Saland LC, Samora A, Desai S, Benevise S: Stress-induced peptide release from rat intermediate pituitary. An ultrastructural analysis 589-593
- Chaldakov GN → Tenkova T 205-210
- Chiang JA → Chiang RG 583-587
- Chiang RG, Chiang JA, Davey KG: Structure of the abdominal receptor responsive to internally applied pressure in the blood-feeding insect, *Rhodnius prolixus* 583-587
- Contractor SF → Leach L 383-388
- Davey KG → Chiang RG 583-587
- De Biasi S → Vitellaro-Zuccarello L 467-476
- De Mazière AMGL, Scheuermann DW: Structural changes in cardiac gap junctions after hypoxia and reoxygenation: a quantitative freeze-fracture analysis 183-194
- Desai S → Carr JA 589-593
- Diener M → Mestres P 195-203
- Dulos GJ → Koumans JTM 173-181
- Dunning BE → Ahrén B 49-58
- Eaton BM → Leach L 383-388
- Ebbesson SOE → Östholm T 403-418
- Ehnholm C → Heikkilä P 125-132
- Ekström P → Östholm T 403-418
- Fairweather I → Skuce PJ 573-581
- Firth JA → Leach L 383-388
- Fitzpatrick FTA → Kendall MD 555-564
- Flores V, Lane NJ: Evidence for a transcellular cisternal route across the caecal epithelium of an insect 347-354
- Fujii S → Sugimoto K 509-516
- Fukada Y → Oishi T 397-401
- Furihata C → Kataoka K 211-217
- Furuya S: Ultrastructure and formation of diaphragmed fenestrae in cultured endothelial cells of cultured bovine adrenal medulla 97-105
- Gabella G: Intramural neurons in the urinary bladder of the guinea-pig 231-237
- Gabella G → Baluk P 275-285
- Garcia R → Cantin M 313-322
- Genest J → Cantin M 313-322
- Gibbins IL → Kummer W 595-606
- Gilliam M → Jimenez DR 431-443
- Gosney J → Smith P 565-571
- Gossard F → Morel G 517-524
- Greenstein BD → Kendall MD 555-564
- Haile-Meskel H → Cantin M 313-322
- Halton DW → Skuce PJ 573-581
- Hamblin A → Kendall MD 555-564
- Hanley DA → Mortimer ST 339-345
- Hassall CJS → James S 301-312
- Haumont S → Toussaint-Demille D 115-123
- Hayashi T → Oishi T 397-401
- Heath D → Smith P 565-571
- Heikkilä P, Kahri AI, Kovanen PT, Ehnholm C: Effects of mevinolin, an inhibitor of cholesterol synthesis, on the morphology and function of differentiating and differentiated rat adrenocortical cells in primary culture 125-132
- Hilliges M → Wang L 25-33
- Hoffmann W → Königstorfer A 59-64
- Holstein A-F → Seidl K 539-547
- Holstein A-F → Seidl K 549-554
- Ishikawa H → Shimada O 219-229
- James S, Hassall CJS, Polak JM, Burnstock G: Autoradiographic localization of specific atrial natriuretic peptide binding sites on immunocytochemically identified cells in cultures from rat and guinea-pig hearts 301-312
- Jasmin G → Cantin M 313-322
- Jernberg T → Wang L 25-33
- Jimenez DR, Gilliam M: Ultrastructure of the ventriculus of the honey bee, *Apis mellifera*: cytochemical localization of acid phosphatase, alkaline phosphatase, and nonspecific esterase 431-443
- Johansson O → Wang L 25-33
- Johnston CF → Skuce PJ 573-581
- Ju G, Liu S-J: Substance P-like immunoreactive nerve fibers in the pars distalis of the anterior pituitary in the dog 323-331
- Kahri AI → Heikkilä P 125-132
- Kaiho M → Sugimoto K 509-516
- Kameda Y: Ontogeny of the carotid body and glomus cells distributed in the wall of the common carotid artery and its branches in the chicken 525-537
- Kane LP → Watkins SC 73-84
- Kapoor V → Kummer W 595-606
- Kasuya Y, Kobayashi H, Uemura H: The distribution of an immunoreactive endothelin-like substance in the nervous system of the nereid, *Neanthes diversicolor* (Annelida) 485-492
- Kataoka K, Takeoka Y, Furihata C: Immunocytochemical study of pepsinogen 1-producing cells in the fundic mucosa of the stomach in developing mice 211-217
- Kawata A → Oishi T 397-401
- Kendall MD, Fitzpatrick FTA, Greenstein BD, Khoylou F, Safieh B, Hamblin A: Reversal of ageing changes in the thymus of rats by chemical or surgical castration 555-564
- Khoylou F → Kendall MD 555-564
- Kitano Y, Okada N: Organization and disorganization of actin filaments in human epidermal keratinocytes: Heat-shock treatment and recovery process 269-274
- Kobayashi H → Kasuya Y 485-492
- Königstorfer A, Sterrer S, Hoffmann W: Ependymins are expressed in the meninges of goldfish brain 59-64
- Korf H-W, Sato T, Oksche A: Complex relationships between the pineal organ and the medial habenular nucleus-prepectal region of the mouse as revealed by S-antigen immunocytochemistry 493-500
- Koumans JTM, Akster HA, Dulos GJ, Osse JWM: Myosatellite cells of *Cyprinus carpio* (Teleostei) in vitro: isolation, recognition and differentiation 173-181
- Kovanen PT → Heikkilä P 125-132
- Kowalyk S → Ahrén B 49-58
- Kummer W, Gibbins IL, Stefan P, Kapoor V: Catecholamines and catecholamine-synthesizing enzymes in guinea-pig sensory ganglia 595-606
- Landsverk T, Trevello W, Nicander L: Transfer of carbonic anhydrase-positive particles from the follicle-associated epithelium to lymphocytes of Peyer's patches in foetal sheep and lambs 239-247
- Lane NJ → Flores V 347-354
- Leach L, Eaton BM, Firth JA, Contractor SF: Uptake and intracellular routing of peroxidase-conjugated immunoglobulin-G by the perfused human placenta 383-388
- Leroux P → Morel G 517-524
- Lesser MP, Shick JM: Effects of visible and ultraviolet radiation on the ultrastructure of zooxanthellae (*Symbiodinium* sp.) in culture and in situ 501-508
- Liu S-J → Ju G 323-331
- Loir M: Interstitial cells from the testis of the trout (*Oncorhynchus mykiss*) in vivo and in primary culture 133-144
- Lynch GW → Watkins SC 73-84
- Martinet L → Möller M 477-483
- Matthiesen ME → Romert P 423-430
- Mestres P, Diener M, Rummel W: Storage of glycogen in rat colonic epithelium during induction of secretion and absorption in vitro 195-203
- Mikkelsen JD → Möller M 477-483
- Miyoshi M → Uehara K 419-422

- Miyoshi S → Uehara K 419-422
- Møller M, Mikkelsen JD, Martinet L: Innervation of the mink pineal gland with neuropeptide Y (NPY)-containing nerve fibers. An experimental immunohistochemical study 477-483
- Morel G, Leroux P, Caballero Garcia T, Beiras A, Gossard F: Ultrastructural distribution of somatostatin-14 and -28 in rat adrenal cells 517-524
- Mortimer ST, Hanley DA, Stell WK: Immunohistochemical identification of calcitonin gene-related peptide and substance P in nerves of the bovine parathyroid gland 339-345
- Munson L, Wilkinson JE, Schlafer DH: Effects of substrata on the polarization of bovine endometrial epithelial cells in vitro 155-161
- Nakamura I → Sugimoto K 509-516
- Nicander L → Landsverk T 239-247
- Nitsch C → Riesenberger R 107-113
- Nurse CA: Carbonic anhydrase and neuronal enzymes in cultured glomus cells of the carotid body of the rat 65-71
- Oishi T, Kawata A, Hayashi T, Fukada Y, Shichida Y, Yoshizawa T: Immunohistochemical localization of iodoquin in the retina of the chicken and Japanese quail 397-401
- Okada N → Kitano Y 269-274
- Oksche A → Korf H-W 493-500
- Ono K → Satoh Y 451-459
- Osse JWM → Koumans JTM 173-181
- Östholm T, Ekström P, Ebbesson SOE: Distribution of FMRamide-like immunoreactivity in the brain, retina and nervus terminalis of the sockeye salmon parr, *Oncorhynchus nerka* 403-418
- Peng FS → Sainte-Marie G 1-15
- Perotti ME → Phillips DM 249-259
- Phillips DM, Zacharopoulos VR, Perotti ME: Structure of the cumulus oophorus at the time of fertilization 249-259
- Pipe RK: Differential binding of lectins to haemocytes of the mussel *Mytilus edulis* 261-268
- Polak JM → James S 301-312
- Prusch RD, Wells SM: Binding characteristics of receptors for phagocytosis on the surface of *Amoeba proteus* 445-450
- Quistorff B → Rømer P 423-430
- Qvortrup K, Rostgaard J: Three-dimensional organization of a transcellular tubulocisternal endoplasmic reticulum in epithelial cells of Reissner's membrane in the guinea-pig 287-299
- Raftos DA: The morphology of allograft rejection in *Styela plicata* (Urochordata: Ascidacea) 389-396
- Riesenberger R, Nitsch C: Two different types of dynorphin-A-immunoreactive terminals in rat substantia nigra 107-113
- Rømer P, Matthiessen ME, Quistorff B: Ultrastructural changes of liver parenchyma following digitonin-pulse perfusion of rat liver 423-430
- Rostgaard J → Qvortrup K 287-299
- Rummel W → Mestres P 195-203
- Safieh B → Kendall MD 555-564
- Sahara N, Suzuki K: Lateral diffusion of luminal membrane components during secretion in parotid acinar cells of the rat. Immunocytochemical and freeze-fracture studies 461-466
- Saino T → Satoh Y 451-459
- Sainte-Marie G, Peng FS: Mast cells and fibrosis in compartments of lymph nodes of normal, gnotobiotic, and athymic rats 1-15
- Saland LC → Carr JA 589-593
- Salazar I, Vaillant C: Glucagon-like immunoreactivity in hypothalamic neurons of the rat 355-358
- Samora A → Carr JA 589-593
- Sato T → Korf H-W 493-500
- Satoh Y, Saino T, Ono K: Effect of carbamylcholine on Harderian gland morphology in rats 451-459
- Scheiff J-M → Toussaint-Demyle D 115-123
- Scheuermann DW → De Mazière AMGL 183-194
- Schlafer DH → Munson L 155-161
- Seidl K, Holstein A-F: Evidence for the presence of nerve growth factor (NGF) and NGF receptors in human testis 549-554
- Seidl K, Holstein A-F: Organ culture of human seminiferous tubules: A useful tool to study the role of nerve growth factor in the testis 539-547
- Sernia C → Thomas WG 367-373
- Shaw C → Skuce PJ 573-581
- Shichida Y → Oishi T 397-401
- Shick JM → Lesser MP 501-508
- Shimada O, Tosaka-Shimada H, Ishikawa H: Morphological effects of somatostatin on rat somatotrophs previously activated by growth hormone-releasing factor 219-229
- Skuce PJ, Johnston CF, Fairweather I, Halton DW, Shaw C, Buchanan KD: Immunoreactivity to the pancreatic polypeptide family in the nervous system of the adult human blood fluke, *Schistosoma mansoni* 573-581
- Slyter HS → Watkins SC 73-84
- Smith P, Gosney J, Heath D, Burnett H: The occurrence and distribution of certain polypeptides within the human carotid body 565-571
- Spaniel-Borowski K, Bosch J van der: Different phenotypes of cultured microvesSEL endothelial cells obtained from bovine corpus luteum. Study by light microscopy and by scanning electron microscopy (SEM) 35-47
- Staiger JF, Wouterlood FG: Efferent projections from the lateral septal nucleus to the anterior hypothalamus in the rat: A study combining *Phaseolus vulgaris*-leucoagglutinin tracing with vasopressin immunocytochemistry 17-23
- Stefan P → Kummer W 595-606
- Stell WK → Mortimer ST 339-345
- Sterrer S → Königstorfer A 59-64
- Stockem W → Wachtmann D 145-154
- Sugimoto K, Fujii S, Kaiho M, Nakamura I: Stress fibers in the mesenteric mesothelial cells of the large intestine of the bullfrog, *Rana catesbeiana* 509-516
- Sundler F → Åhrén B 49-58
- Suzuki K → Sahara N 461-466
- Taborsky GJ Jr → Åhrén B 49-58
- Takeoka Y → Kataoka K 211-217
- Tenkova T, Chaldakov GN: Internalized gap junctions in ciliary epithelium of rabbit and rat. A transmission electron-microscopic study 205-210
- Thibault G → Cantin M 313-322
- Thomas WG, Sernia C: The immunocytochemical localization of angiotensinogen in the rat ovary 367-373
- Tosaka-Shimada H → Shimada O 219-229
- Toussaint-Demyle D, Scheiff J-M, Haumont S: Thymic nurse cells: morphological study during their isolation from murine thymus 115-123
- Trevella W → Landsverk T 239-247
- Uehara K, Miyoshi M, Miyoshi S: Actin filaments in microridges of the oral mucosal epithelium in the carp *Cyprinus carpio* 419-422
- Uemura H → Kasuya Y 485-492
- Vaillant C → Salazar I 355-358
- Vitellaro-Zuccarello L, De Biasi S, Amadeo A: Immunocytochemical demonstration of neurotransmitters in the nerve plexuses of the foot and the anterior byssus retractor muscle of the mussel, *Mytilus galloprovincialis* 467-476
- Wachtmann D, Stockem W, Weissenfels N: Cytoskeletal organization and cell organelle transport in basal epithelial cells of the freshwater sponge *Spongilla lacustris* 145-154
- Wagner H-J, Wulle I: Dopaminergic interplexiform cells contact photoreceptor terminals in catfish retina 359-365
- Wang L, Hilliges M, Jernberg T, Wiegleb-Edström D, Johansson O: Protein gene product 9.5-immunoreactive nerve fibres and cells in human skin 25-33
- Watanabe YG → Carbajo-Pérez E 333-338
- Watkins SC, Lynch GW, Kane LP, Slayter HS: Thrombospondin expression in traumatized skeletal muscle. Correlation of appearance with post-trauma regeneration 73-84
- Weissenfels N → Wachtmann D 145-154
- Wells SM → Prusch RD 445-450
- White JF → Yu Q-C 163-171
- Wiegleb-Edström D → Wang L 25-33
- Wilkinson JE → Munson L 155-161
- Wolfrum U: Actin filaments: the main components of the scolopale in insect sensilla 85-96
- Wooding FB → Billingsley SA 375-382
- Wouterlood FG → Staiger JF 17-23
- Wulle I → Wagner H-J 359-365
- Yoshizawa T → Oishi T 397-401
- Yu Q-C, White JF: Multitubular bodies in intestinal cells of *Amphiuma means/tridactylum* (Urodela): ultrastructural characterization 163-171
- Zacharopoulos VR → Phillips DM 249-259

